

APPENDIX 35A**RAF GUIDELINES FOR THE CALCULATION OF
GENERAL DAMAGES¹**

Injury	With Minor After Effects R	With Moderately Severe After Effects R	With severe After Effects R
Amputation: thumb	15,120		
Amputation: other finger	9,720		
Amputation: arm below elbow	54,000		
Amputation: arm above elbow	86,400		
Amputation: big toe	15,120		
Amputation: other toe	8,640		
Amputation: leg below knee	64,800		
Amputation: leg above knee	97,200		
Haemorrhage: muscle	2,160	7,560	10,800
Haemorrhage: knee	4,320	8,640	12,960
Haemorrhage: intestine	7,560		
Haemorrhage: brain	10,800		
Fractures: skull - base	8,640	10,800	
Fractures: skull - parietal	9,720	14,040	
Fractures: skull - malor (zygoma)	5,400	8,640	17,000
Fractures: nose	3,240	9,720	16,200
Fractures: maxilla	9,720	11,880	21,600
Fracture: mandible	7,560	9,720	16,200
Fracture: tooth	2,700		
Fracture: cervical vertebrae	12,960	21,600	37,800
Fracture: neck			
Fracture: back – dorsal and/or lumbar vertebrae	12,960	21,600	39,960
Fracture: coccyx	7,560	9,720	19,440
Fracture: sternum	6,480	8,640	16,200
Fracture: rib	4,320	6,480	10,800
Fracture: pneumothorax			
Fracture: Hemothorax	10,800		

Injury	With Minor After Effects R	With Moderately Severe After Effects R	With severe After Effects R
Fracture: shoulder - clavicle	6,480	12,960	16,200
Fracture: shoulder - scapula	7,560		
Fracture: arm - humerus	12,960	21,600	37,800
Fracture: arm - below elbow	12,960	21,600	37,000
Fracture: arm - radius	8,640	15,120	21,600
Fracture: arm - ulna	6,480	10,800	16,200
Fracture: elbow	12,560	21,600	37,000
Fracture: wrist	8,640	12,960	19,440
Fracture: metacarpal	3,240	5,400	8,640
Fracture: finger	3,240	5,400	8,640
Fracture: pelvis - Iliac, sacrum, pubis, ischium	12,960	21,600	37,800
Fracture: pelvis - acetabulum	17,280	37,800	54,000
Fracture: leg - femur	16,200	21,600	34,560
Fracture: leg - patella	7,560	14,040	21,600
Fracture: leg - below knee	12,960	19,440	27,000
Fracture: leg - tibia	9,720	12,960	21,600
Fracture: leg - fibula	5,400	10,800	16,200
Fracture: ankle	11,880	22,680	32,400
Fracture: ankle - medial	6,480	8,600	16,200
Fracture: ankle - lateral	4,860	8,100	12,960
Fracture: foot - heel	8,640	10,800	19,440
Fracture: foot - metatarsus	2,700	4,860	8,100
Fracture: toe - big	2,160	4,860	8,640
Fracture: toe - other	1,080	3,240	6,480
Dislocation: neck (whiplash)	16,200	24,840	37,000
Dislocation: back	13,460	21,600	34,560
Dislocation: shoulder	7,020	11,340	20,520
Dislocation: elbow	6,480	10,800	18,360
Dislocation: hip	12,960	18,360	35,640
Dislocation: knee (cartilage and ligaments)	11,880	15,120	27,000
Dislocation: ankle	8,640	12,960	19,440

Injury	With Minor After Effects R	With Moderately Severe After Effects R	With severe After Effects R
Dislocation: wrist	6,480	8,640	17,280
Dislocation with fractures: neck	18,360	27,000	42,120
Dislocation with fractures: back	16,000	27,000	48,200
Dislocation with fractures: shoulder	10,800	15,120	23,760
Dislocation with fractures: elbow	10,800	15,120	23,760
Dislocation with fractures: hip - iliac, sacrum	16,200	21,600	37,800
Dislocation with fractures: hip - acetabulum	20,520	43,200	59,400
Dislocation with fractures: knee	14,040	19,440	37,800
Dislocation with fractures: ankle	10,800	17,280	30,040
Eye: loss of one eye	64,800		
Eye: total loss of visual field	151,200		
Ear: loss of hearing in one ear	29,160		
Ear: total loss of hearing	75,600		
Smell: loss of olfactory sense	27,000		
Spleen: removal of	19,980		
Liver: rupture	11,880		
Kidney: removal of	54,000		
Lung	21,600	32,400	64,800
Hemiparesis	43,250	99,360	135,000
Paraplegic		151,200	194,000
Quadriplegic		194,400	259,200
Brain Damage		86,400	129,600

1 This guide has been changed by deletion (where it was given) of the description of the judgment from which the guidelines emerged.